


State of New Jersey  
Department of Environmental Protection  
Certifies That



*Xenco Laboratories*  
Laboratory Certification ID # TX007

*having duly met the requirements of the*  
Regulations Governing The Certification Of  
Laboratories And Environmental Measurements N.J.A.C. 7:18 et. seq.

*and*

*having been found compliant with the standards approved by the*  
The NELAC Institute


*is hereby approved as a*

Nationally Accredited Environmental Laboratory  
*to perform the analyses as indicated on the Annual Certified Parameter List*  
*which must accompany this certificate to be valid*

Expiration Date June 30, 2010



NJDEP is a NELAP Recognized Accrediting Authority

  
Joseph F. Aiello, Chief  
Office of Quality Assurance

This certificate is to be conspicuously displayed at the laboratory with the annual certified parameter list in a location on the premises visible to the public.  
Consumers are urged to verify the laboratory's current accreditation status with the State of NJ, NELAP.

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**

Effective as of 07/01/2009 until 06/30/2010



Laboratory Name: XENCO LABORATORIES Laboratory Number: TX007 Activity ID: NLC090001  
4143 GREENBRIAR DR  
STAFFORD, TX 77477

Category: SDW04 – Inorganic Parameters, Metals

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	SDW04.48000	DW	ICP/MS	[EPA 200.8]	Mercury

Category: SDW06 – Organic Parameters, Chromatography/MS

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	SDW06.01010	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Bromoform
Certified	Yes	TX	SDW06.01020	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Chloroform
Certified	Yes	TX	SDW06.01030	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dibromochloromethane
Certified	Yes	TX	SDW06.01040	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Bromodichloromethane
Certified	Yes	TX	SDW06.02010	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Benzene
Certified	Yes	TX	SDW06.02020	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Carbon tetrachloride
Certified	Yes	TX	SDW06.02030	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Chlorobenzene
Certified	Yes	TX	SDW06.02040	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichlorobenzene (1,2-)
Certified	Yes	NJ	SDW06.02050	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichlorobenzene (1,3-)
Certified	Yes	TX	SDW06.02060	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichlorobenzene (1,4-)
Certified	Yes	NJ	SDW06.02070	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichloroethane (1,1-)
Certified	Yes	TX	SDW06.02080	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichloroethane (1,2-)
Certified	Yes	TX	SDW06.02090	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichloroethene (cis-1,2-)
Certified	Yes	TX	SDW06.02100	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichloroethene (trans-1,2-)
Certified	Yes	TX	SDW06.02110	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Methylene chloride (Dichloromethane)
Certified	Yes	TX	SDW06.02120	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichloropropane (1,2-)
Certified	Yes	TX	SDW06.02130	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Ethylbenzene
Certified	Yes	NJ	SDW06.02140	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Methyl tert-butyl ether
Certified	Yes	NJ	SDW06.02150	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Naphthalene
Certified	Yes	TX	SDW06.02160	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Styrene
Certified	Yes	NJ	SDW06.02170	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Tetrachloroethane (1,1,2,2-)
Certified	Yes	TX	SDW06.02180	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Tetrachloroethene
Certified	Yes	TX	SDW06.02190	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Trichloroethane (1,1,1-)
Certified	Yes	TX	SDW06.02200	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Trichloroethene
Certified	Yes	TX	SDW06.02210	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Toluene

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

**New Jersey Department of Environmental Protection**  
**National Environmental Laboratory Accreditation Program**  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
 Effective as of 07/01/2009 until 06/30/2010



**Laboratory Name: XENCO LABORATORIES Laboratory Number: TX007 Activity ID: NLC090001**  
**4143 GREENBRIAR DR**  
**STAFFORD, TX 77477**

Category: SDW06 – Organic Parameters, Chromatography/MS

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	SDW06.02220	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Trichlorobenzene (1,2,4-)
Certified	Yes	TX	SDW06.02230	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichloroethene (1,1-)
Certified	Yes	TX	SDW06.02240	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Trichloroethane (1,1,2-)
Certified	Yes	TX	SDW06.02250	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Vinyl chloride
Certified	Yes	TX	SDW06.02260	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Xylenes (total)
Certified	Yes	NJ	SDW06.03010	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Bromobenzene
Certified	Yes	NJ	SDW06.03020	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Bromochloromethane
Certified	Yes	NJ	SDW06.03030	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Bromomethane
Certified	Yes	NJ	SDW06.03040	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Butyl benzene (n-)
Certified	Yes	NJ	SDW06.03050	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Sec-butylbenzene
Certified	Yes	NJ	SDW06.03060	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Tert-butylbenzene
Certified	Yes	NJ	SDW06.03070	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Chloroethane
Certified	Yes	NJ	SDW06.03080	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Chloromethane
Certified	Yes	NJ	SDW06.03090	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Chlorotoluene (2-)
Certified	Yes	NJ	SDW06.03100	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Chlorotoluene (4-)
Certified	Yes	NJ	SDW06.03110	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dibromo-3-chloropropane (1,2-)
Certified	Yes	NJ	SDW06.03120	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dibromoethane (1,2-) (EDB)
Certified	Yes	NJ	SDW06.03130	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dibromomethane
Certified	Yes	NJ	SDW06.03140	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichlorodifluoromethane
Certified	Yes	NJ	SDW06.03150	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichloropropane (1,3-)
Certified	Yes	NJ	SDW06.03160	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichloropropane (2,2-)
Certified	Yes	NJ	SDW06.03170	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichloropropene (1,1-)
Certified	Yes	NJ	SDW06.03180	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichloropropene (cis-1,3-)
Certified	Yes	NJ	SDW06.03190	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichloropropene (trans-1,3-)
Certified	Yes	NJ	SDW06.03200	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Hexachlorobutadiene (1,3-)
Certified	Yes	NJ	SDW06.03210	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Isopropylbenzene
Certified	Yes	NJ	SDW06.03220	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Isopropyltoluene (4-)
Certified	Yes	NJ	SDW06.03230	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Propylbenzene (n-)
Certified	Yes	NJ	SDW06.03240	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Tetrachloroethane (1,1,1,2-)
Certified	Yes	NJ	SDW06.03250	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Trichlorobenzene (1,2,3-)
Applied	No	NJ	SDW06.03251	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Trichlorobenzene (1,3,5-)
Certified	Yes	NJ	SDW06.03260	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Trichlorofluoromethane

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**

Effective as of 07/01/2009 until 06/30/2010



Laboratory Name: XENCO LABORATORIES Laboratory Number: TX007 Activity ID: NLC090001  
4143 GREENBRIAR DR  
STAFFORD, TX 77477

Category: SDW06 -- Organic Parameters, Chromatography/MS

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	NJ	SDW06.03270	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Trichloropropane (1,2,3-)
Certified	Yes	NJ	SDW06.03280	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Trimethylbenzene (1,2,4-)
Certified	Yes	NJ	SDW06.03300	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Trimethylbenzene (1,3,5-)
Certified	Yes	NJ	SDW06.03310	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Nitrobenzene
Certified	Yes	NJ	SDW06.03410	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Acetone
Certified	Yes	NJ	SDW06.03420	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Acrylonitrile
Certified	Yes	NJ	SDW06.03430	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Allyl chloride
Certified	Yes	NJ	SDW06.03440	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Butanone (2-)
Certified	Yes	NJ	SDW06.03450	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Carbon disulfide
Certified	Yes	NJ	SDW06.03460	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Chloroacetonitrile
Certified	Yes	NJ	SDW06.03470	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Chlorobutane (1-)
Certified	Yes	NJ	SDW06.03480	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichloro-2-butene (trans-1,4-)
Certified	Yes	NJ	SDW06.03490	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichloropropanone (1,1-)
Certified	Yes	NJ	SDW06.03500	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Diethyl ether (Ethyl ether)
Certified	Yes	NJ	SDW06.03510	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Ethyl methacrylate
Certified	Yes	NJ	SDW06.03520	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Hexachloroethane
Certified	Yes	NJ	SDW06.03530	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Hexanone (2-)
Certified	Yes	NJ	SDW06.03540	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Methacrylonitrile
Certified	Yes	NJ	SDW06.03550	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Methyl acrylate
Certified	Yes	NJ	SDW06.03560	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Methyl iodide
Certified	Yes	NJ	SDW06.03570	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Methyl methacrylate
Certified	Yes	NJ	SDW06.03580	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Pentanone (4-methyl-2-)
Certified	Yes	NJ	SDW06.03590	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Nitropropane (2-)
Certified	Yes	NJ	SDW06.03600	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Pentachloroethane
Certified	Yes	NJ	SDW06.03610	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Propionitrile
Certified	Yes	NJ	SDW06.03615	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Tert-butyl alcohol
Certified	Yes	NJ	SDW06.03620	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Tetrahydrofuran
Certified	Yes	TX	SDW06.06060	DW	SPE, GC/MS	[EPA 525.2]	Benzo(ghi)perylene
Certified	Yes	TX	SDW06.06320	DW	SPE, GC/MS	[EPA 525.2]	Di(2-ethylhexyl)adipate
Certified	Yes	TX	SDW06.06330	DW	SPE, GC/MS	[EPA 525.2]	Di(2-ethylhexyl)phthalate

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
Effective as of 07/01/2009 until 06/30/2010



Laboratory Name: XENCO LABORATORIES Laboratory Number: TX007 Activity ID: NLC090001  
4143 GREENBRIAR DR  
STAFFORD, TX 77477

Category: SHW06 -- Organic Parameters, Chromatography

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	SHW06.02010	NPW	Microextraction, GC, ECD	[SW-846 8011]	Dibromoethane (1,2-) (EDB)
Certified	Yes	TX	SHW06.02020	NPW	Microextraction, GC, ECD	[SW-846 8011]	Dibromo-3-chloropropane (1,2-)

Category: SHW07 -- Organic Parameters, Chromatography/MS

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	SHW07.04087	NPW	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	tert-Amylmethyl ether [TAME]
Certified	Yes	TX	SHW07.04364	NPW	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Ethyl-tert-butyl Ether [ETBE]
Certified	Yes	TX	SHW07.04365	NPW	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Ethyl acetate
Certified	Yes	TX	SHW07.04375	NPW	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Methyl iodide
Certified	Yes	TX	SHW07.04590	NPW	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Dioxane (1,4-)

Category: WPP02 -- Inorg. Parameters, Nutrients and Demands

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	WPP02.01000	NPW	Electrometric or Phenolphthalein	[SM 2310 B(4A)]	Acidity as CaCO <sub>3</sub>
Certified	Yes	TX	WPP02.03000	NPW	Distillation, Titration	[SM 4500-NH <sub>3</sub> B+C (20th ed.)]	Ammonia
Certified	Yes	TX	WPP02.05000	NPW	Dissolved Oxygen Depletion	[SM 5210 B]	Biochemical oxygen demand
Certified	Yes	TX	WPP02.07100	NPW	Ion Chromatography	[EPA 300.0]	Bromide
Certified	Yes	TX	WPP02.08050	NPW	ICP/MS	[EPA 200.8]	Calcium
Certified	Yes	TX	WPP02.09500	NPW	Dissolved Oxygen Depletion, Nitrification Inhibition	[SM 5210 B]	Carbonaceous BOD (CBOD)
Certified	Yes	TX	WPP02.10000	NPW	Titrimetric	[OTHER Hach 8000]	Chemical oxygen demand
Certified	Yes	TX	WPP02.15500	NPW	Distillation, Spectrophotometric (Auto)	[EPA 335.4]	Cyanide
Certified	Yes	TX	WPP02.18100	NPW	Ion Chromatography	[EPA 300.0]	Fluoride
Certified	Yes	TX	WPP02.24050	NPW	ICP/MS	[EPA 200.8]	Magnesium
Certified	Yes	TX	WPP02.26100	NPW	Ion Chromatography	[EPA 300.0]	Nitrate
Certified	Yes	TX	WPP02.28600	NPW	Ion Chromatography	[EPA 300.0]	Nitrite
Certified	Yes	TX	WPP02.29100	NPW	Gravimetric, Hexane Extractable Material-LL	[EPA 1664A]	Oil & grease - hem-LL
Certified	Yes	TX	WPP02.29200	NPW	Gravimetric, Silica Gel Treated-Hem	[EPA 1664A]	Oil & grease - sgt-non polar

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
Effective as of 07/01/2009 until 06/30/2010



Laboratory Name: XENCO LABORATORIES Laboratory Number: TX007 Activity ID: NLC090001  
4143 GREENBRIAR DR  
STAFFORD, TX 77477

Category: WPP02 – Inorg. Parameters, Nutrients and Demands

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	WPP02.30000	NPW	Combustion or Oxidation	[SM 5310 B, C or D]	Total organic carbon (TOC)
Certified	Yes	TX	WPP02.32100	NPW	Ion Chromatography	[EPA 300.0]	Orthophosphate
Certified	Yes	TX	WPP02.32500	NPW	Manual Distillation, Colorimetric 4AAP	[EPA 420.1]	Phenols
Certified	Yes	TX	WPP02.36550	NPW	ICP/MS	[EPA 200.8]	Potassium
Certified	Yes	TX	WPP02.38500	NPW	Gravimetric, 180 Degrees C	[SM 2540 C]	Residue - filterable (TDS)
Certified	Yes	TX	WPP02.39000	NPW	Gravimetric, 103-105 Degrees C, Post Washing	[SM 2540 D]	Residue - nonfilterable (TSS)
Certified	Yes	TX	WPP02.44050	NPW	ICP/MS	[EPA 200.8]	Sodium
Certified	Yes	TX	WPP02.45500	NPW	Wheatstone Bridge	[EPA 120.1]	Specific conductance
Certified	Yes	TX	WPP02.47100	NPW	Ion Chromatography	[EPA 300.0]	Sulfate
Certified	Yes	TX	WPP02.47500	NPW	Titrimetric, Iodine	[SM 4500-S F (19/20th ed)]	Sulfides
Certified	No	TX	WPP02.50000	NPW	Nephelometric	[EPA 180.1]	Turbidity

Category: WPP03 – Analyze-Immediately Inorganic Parameters

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	WPP03.09000	NPW	Electrometric	[SM 4500-H B]	pH
Certified	Yes	TX	WPP03.10000	NPW	Continuous Electrometric	[EPA 150.2]	pH

Category: WPP04 – Inorganic Parameters, Metals

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	WPP04.02100	NPW	ICP/MS	[EPA 200.8]	Aluminum
Certified	Yes	TX	WPP04.04600	NPW	ICP/MS	[EPA 200.8]	Antimony
Certified	Yes	TX	WPP04.05700	NPW	ICP/MS	[EPA 200.8]	Arsenic
Certified	Yes	TX	WPP04.08200	NPW	ICP/MS	[EPA 200.8]	Barium
Certified	Yes	TX	WPP04.11100	NPW	ICP/MS	[EPA 200.8]	Beryllium
Certified	Yes	TX	WPP04.13600	NPW	ICP/MS	[EPA 200.8]	Cadmium
Certified	Yes	TX	WPP04.18100	NPW	ICP/MS	[EPA 200.8]	Chromium
Certified	Yes	TX	WPP04.19600	NPW	ICP/MS	[EPA 200.8]	Cobalt

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

**New Jersey Department of Environmental Protection**  
**National Environmental Laboratory Accreditation Program**  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
 Effective as of 07/01/2009 until 06/30/2010



**Laboratory Name: XENCO LABORATORIES Laboratory Number: TX007 Activity ID: NLC090001**  
**4143 GREENBRIAR DR**  
**STAFFORD, TX 77477**

**Category: WPP04 – Inorganic Parameters, Metals**

Status	Eligible to Report		Code	Matrix	Technique Description	Approved Method	Parameter Description
	NJ Data	State					
Certified	Yes	TX	WPP04.21600	NPW	ICP/MS	[EPA 200.8]	Copper
Certified	Yes	TX	WPP04.26550	NPW	ICP/MS	[EPA 200.8]	Iron
Certified	Yes	TX	WPP04.28100	NPW	ICP/MS	[EPA 200.8]	Lead
Certified	Yes	TX	WPP04.31100	NPW	ICP/MS	[EPA 200.8]	Manganese
Applied	No	TX	WPP04.33550	NPW	Digestion, ICP/MS (Incinerator)	[EPA 200.8]	Mercury
Certified	Yes	TX	WPP04.35200	NPW	ICP/MS	[EPA 200.8]	Molybdenum
Certified	Yes	TX	WPP04.37600	NPW	ICP/MS	[EPA 200.8]	Nickel
Certified	Yes	TX	WPP04.45600	NPW	ICP/MS	[EPA 200.8]	Selenium
Certified	Yes	TX	WPP04.48200	NPW	ICP/MS	[EPA 200.8]	Silver
Certified	Yes	TX	WPP04.50100	NPW	ICP/MS	[EPA 200.8]	Thallium
Certified	Yes	TX	WPP04.51200	NPW	ICP/MS	[EPA 200.8]	Tin
Certified	Yes	TX	WPP04.52070	NPW	ICP/MS	[EPA 200.8]	Titanium
Certified	Yes	TX	WPP04.54100	NPW	ICP/MS	[EPA 200.8]	Vanadium
Certified	Yes	TX	WPP04.56600	NPW	ICP/MS	[EPA 200.8]	Zinc

**Category: WPP05 – Organic Parameters, Chromatography**

Status	Eligible to Report		Code	Matrix	Technique Description	Approved Method	Parameter Description
	NJ Data	State					
Certified	Yes	TX	WPP05.09010	NPW	Extract/GC (ECD)	[EPA 608]	Aldrin
Certified	Yes	TX	WPP05.09020	NPW	Extract/GC (ECD)	[EPA 608]	Alpha BHC
Certified	Yes	TX	WPP05.09030	NPW	Extract/GC (ECD)	[EPA 608]	Beta BHC
Certified	Yes	TX	WPP05.09040	NPW	Extract/GC (ECD)	[EPA 608]	Delta BHC
Certified	Yes	TX	WPP05.09050	NPW	Extract/GC (ECD)	[EPA 608]	Lindane (gamma BHC)
Certified	Yes	TX	WPP05.09060	NPW	Extract/GC (ECD)	[EPA 608]	Chlordane
Certified	Yes	TX	WPP05.09062	NPW	Extract/GC (ECD)	[EPA 608]	Chlordane (alpha)
Certified	Yes	TX	WPP05.09063	NPW	Extract/GC (ECD)	[EPA 608]	Chlordane (gamma)
Certified	Yes	TX	WPP05.09070	NPW	Extract/GC (ECD)	[EPA 608]	DDD (4,4'-)
Certified	Yes	TX	WPP05.09080	NPW	Extract/GC (ECD)	[EPA 608]	DDE (4,4'-)
Certified	Yes	TX	WPP05.09090	NPW	Extract/GC (ECD)	[EPA 608]	DDT (4,4'-)
Certified	Yes	TX	WPP05.09100	NPW	Extract/GC (ECD)	[EPA 608]	Dieldrin

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**

Effective as of 07/01/2009 until 06/30/2010



**Laboratory Name: XENCO LABORATORIES Laboratory Number: TX007 Activity ID: NLC090001**  
4143 GREENBRIAR DR  
STAFFORD, TX 77477

**Category: WPP05 -- Organic Parameters, Chromatography**

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	WPP05.09110	NPW	Extract/GC (ECD)	[EPA 608]	Endosulfan I
Certified	Yes	TX	WPP05.09120	NPW	Extract/GC (ECD)	[EPA 608]	Endosulfan II
Certified	Yes	TX	WPP05.09130	NPW	Extract/GC (ECD)	[EPA 608]	Endosulfan sulfate
Certified	Yes	TX	WPP05.09140	NPW	Extract/GC (ECD)	[EPA 608]	Endrin
Certified	Yes	TX	WPP05.09150	NPW	Extract/GC (ECD)	[EPA 608]	Endrin aldehyde
Certified	Yes	TX	WPP05.09170	NPW	Extract/GC (ECD)	[EPA 608]	Heptachlor
Certified	Yes	TX	WPP05.09180	NPW	Extract/GC (ECD)	[EPA 608]	Heptachlor epoxide
Certified	Yes	TX	WPP05.09190	NPW	Extract/GC (ECD)	[EPA 608]	Methoxychlor
Certified	Yes	TX	WPP05.09200	NPW	Extract/GC (ECD)	[EPA 608]	Toxaphene
Certified	Yes	TX	WPP05.11010	NPW	Extract/GC (ECD)	[EPA 608]	PCB 1016
Certified	Yes	TX	WPP05.11020	NPW	Extract/GC (ECD)	[EPA 608]	PCB 1221
Certified	Yes	TX	WPP05.11030	NPW	Extract/GC (ECD)	[EPA 608]	PCB 1232
Certified	Yes	TX	WPP05.11040	NPW	Extract/GC (ECD)	[EPA 608]	PCB 1242
Certified	Yes	TX	WPP05.11050	NPW	Extract/GC (ECD)	[EPA 608]	PCB 1248
Certified	Yes	TX	WPP05.11060	NPW	Extract/GC (ECD)	[EPA 608]	PCB 1254
Certified	Yes	TX	WPP05.11070	NPW	Extract/GC (ECD)	[EPA 608]	PCB 1260
Certified	Yes	TX	WPP05.13010	NPW	Extract/HPLC (UV/Fluorescence)	[EPA 610]	Acenaphthene
Certified	Yes	TX	WPP05.13020	NPW	Extract/HPLC (UV/Fluorescence)	[EPA 610]	Acenaphthylene
Certified	Yes	TX	WPP05.13030	NPW	Extract/HPLC (UV/Fluorescence)	[EPA 610]	Anthracene
Certified	Yes	TX	WPP05.13040	NPW	Extract/HPLC (UV/Fluorescence)	[EPA 610]	Benzo(a)anthracene
Certified	Yes	TX	WPP05.13050	NPW	Extract/HPLC (UV/Fluorescence)	[EPA 610]	Benzo(a)pyrene
Certified	Yes	TX	WPP05.13060	NPW	Extract/HPLC (UV/Fluorescence)	[EPA 610]	Benzo(b)fluoranthene
Certified	Yes	TX	WPP05.13070	NPW	Extract/HPLC (UV/Fluorescence)	[EPA 610]	Benzo(ghi)perylene
Certified	Yes	TX	WPP05.13080	NPW	Extract/HPLC (UV/Fluorescence)	[EPA 610]	Benzo(k)fluoranthene
Certified	Yes	TX	WPP05.13090	NPW	Extract/HPLC (UV/Fluorescence)	[EPA 610]	Chrysene
Certified	Yes	TX	WPP05.13100	NPW	Extract/HPLC (UV/Fluorescence)	[EPA 610]	Dibenzo(a,h)anthracene
Certified	Yes	TX	WPP05.13110	NPW	Extract/HPLC (UV/Fluorescence)	[EPA 610]	Fluoranthene
Certified	Yes	TX	WPP05.13120	NPW	Extract/HPLC (UV/Fluorescence)	[EPA 610]	Fluorene
Certified	Yes	TX	WPP05.13130	NPW	Extract/HPLC (UV/Fluorescence)	[EPA 610]	Indeno(1,2,3-cd)pyrene
Certified	Yes	TX	WPP05.13140	NPW	Extract/HPLC (UV/Fluorescence)	[EPA 610]	Naphthalene
Certified	Yes	TX	WPP05.13150	NPW	Extract/HPLC (UV/Fluorescence)	[EPA 610]	Phenanthrene

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
Effective as of 07/01/2009 until 06/30/2010



Laboratory Name: XENCO LABORATORIES Laboratory Number: TX007 Activity ID: NLC090001  
4143 GREENBRIAR DR  
STAFFORD, TX 77477

Category: WPP05 -- Organic Parameters, Chromatography

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	WPP05.13160	NPW	Extract/HPLC (UV/Fluorescence)	[EPA 610]	Pyrene

Category: WPP06 -- Organic Parameters, Chromatography/MS

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	WPP06.02003	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Acetone
Certified	Yes	TX	WPP06.02007	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Acrolein
Certified	Yes	TX	WPP06.02009	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Acrylonitrile
Certified	Yes	TX	WPP06.02010	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Benzene
Certified	Yes	NJ	WPP06.02015	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Bromobenzene
Certified	Yes	TX	WPP06.02020	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Bromodichloromethane
Certified	Yes	TX	WPP06.02025	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Bromoethane
Certified	Yes	TX	WPP06.02030	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Bromoform
Certified	Yes	TX	WPP06.02040	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Bromomethane
Certified	Yes	TX	WPP06.02041	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Butanone (2-)
Certified	Yes	TX	WPP06.02050	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Carbon tetrachloride
Certified	Yes	TX	WPP06.02060	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Chlorobenzene
Certified	Yes	TX	WPP06.02070	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Chloroethane
Certified	Yes	TX	WPP06.02080	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Chloroethyl vinyl ether (2-)
Certified	Yes	TX	WPP06.02090	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Chloroform
Certified	Yes	TX	WPP06.02100	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Chloromethane
Certified	Yes	TX	WPP06.02110	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Dibromochloromethane
Certified	Yes	TX	WPP06.02115	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Dibromoethane (1,2-) (EDB)
Certified	Yes	TX	WPP06.02120	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Dichlorobenzene (1,2-)
Certified	Yes	TX	WPP06.02130	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Dichlorobenzene (1,3-)
Certified	Yes	TX	WPP06.02140	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Dichlorobenzene (1,4-)
Certified	Yes	NJ	WPP06.02145	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Dichlorodifluoromethane
Certified	Yes	TX	WPP06.02150	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Dichloroethane (1,1-)
Certified	Yes	TX	WPP06.02160	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Dichloroethane (1,2-)
Certified	Yes	TX	WPP06.02170	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Dichloroethene (1,1-)

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
Effective as of 07/01/2009 until 06/30/2010



Laboratory Name: XENCO LABORATORIES Laboratory Number: TX007 Activity ID: NLC090001  
4143 GREENBRIAR DR  
STAFFORD, TX 77477

Category: WPP06 – Organic Parameters, Chromatography/MS

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Applied	No	TX	WPP06.02175	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Dichloroethene (cis-1,2-)
Certified	Yes	TX	WPP06.02180	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Dichloroethene (trans-1,2-)
Certified	Yes	TX	WPP06.02190	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Dichloropropane (1,2-)
Certified	Yes	TX	WPP06.02200	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Dichloropropene (cis-1,3-)
Certified	Yes	TX	WPP06.02210	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Dichloropropene (trans-1,3-)
Certified	Yes	TX	WPP06.02220	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Ethylbenzene
Certified	Yes	TX	WPP06.02230	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Methylene chloride (Dichloromethane)
Certified	Yes	TX	WPP06.02232	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Methyl tert-butyl ether
Certified	Yes	TX	WPP06.02240	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Tetrachloroethane (1,1,2,2-)
Certified	Yes	TX	WPP06.02250	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Tetrachloroethene
Certified	Yes	TX	WPP06.02260	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Toluene
Certified	Yes	TX	WPP06.02270	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Trichloroethane (1,1,1-)
Certified	Yes	TX	WPP06.02280	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Trichloroethane (1,1,2-)
Certified	Yes	TX	WPP06.02290	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Trichloroethene
Certified	Yes	TX	WPP06.02300	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Trichlorofluoromethane
Certified	Yes	TX	WPP06.02310	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Vinyl chloride
Certified	Yes	TX	WPP06.02312	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Xylenes (total)
Certified	Yes	TX	WPP06.02315	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Xylene (o-)
Certified	Yes	TX	WPP06.02317	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Xylene (m- + p-)
Certified	Yes	TX	WPP06.03010	NPW	Extract, GC/MS	[EPA 625]	Acenaphthene
Certified	Yes	TX	WPP06.03020	NPW	Extract, GC/MS	[EPA 625]	Acenaphthylene
Certified	Yes	TX	WPP06.03030	NPW	Extract, GC/MS	[EPA 625]	Anthracene
Certified	Yes	TX	WPP06.03040	NPW	Extract, GC/MS	[EPA 625]	Benzo(a)anthracene
Certified	Yes	TX	WPP06.03050	NPW	Extract, GC/MS	[EPA 625]	Benzo(b)fluoranthene
Certified	Yes	TX	WPP06.03060	NPW	Extract, GC/MS	[EPA 625]	Benzo(k)fluoranthene
Certified	Yes	TX	WPP06.03070	NPW	Extract, GC/MS	[EPA 625]	Benzo(a)pyrene
Certified	Yes	TX	WPP06.03080	NPW	Extract, GC/MS	[EPA 625]	Benzo(ghi)perylene
Certified	Yes	TX	WPP06.03090	NPW	Extract, GC/MS	[EPA 625]	Butyl benzyl phthalate
Certified	Yes	TX	WPP06.03100	NPW	Extract, GC/MS	[EPA 625]	Bis (2-chloroethyl) ether
Certified	Yes	TX	WPP06.03110	NPW	Extract, GC/MS	[EPA 625]	Bis (2-chloroethoxy) methane
Certified	Yes	TX	WPP06.03120	NPW	Extract, GC/MS	[EPA 625]	Bis (2-ethylhexyl) phthalate
Certified	Yes	TX	WPP06.03130	NPW	Extract, GC/MS	[EPA 625]	Bis (2-chloroisopropyl) ether

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
Effective as of 07/01/2009 until 06/30/2010



Laboratory Name: XENCO LABORATORIES Laboratory Number: TX007 Activity ID: NLC090001  
4143 GREENBRIAR DR  
STAFFORD, TX 77477

Category: WPP06 -- Organic Parameters, Chromatography/MS

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	WPP06.03140	NPW	Extract, GC/MS	[EPA 625]	Bromophenyl-phenyl ether (4-)
Certified	Yes	TX	WPP06.03150	NPW	Extract, GC/MS	[EPA 625]	Chloronaphthalene (2-)
Certified	Yes	TX	WPP06.03160	NPW	Extract, GC/MS	[EPA 625]	Chlorophenyl-phenyl ether (4-)
Certified	Yes	TX	WPP06.03170	NPW	Extract, GC/MS	[EPA 625]	Chrysene
Certified	Yes	TX	WPP06.03180	NPW	Extract, GC/MS	[EPA 625]	Dibenzo(a,h)anthracene
Certified	Yes	TX	WPP06.03190	NPW	Extract, GC/MS	[EPA 625]	Di-n-butyl phthalate
Certified	No	TX	WPP06.03200	NPW	Extract, GC/MS	[USER DEFINED EPA 625]	Dichlorobenzene (1,3-)
Certified	No	TX	WPP06.03210	NPW	Extract, GC/MS	[USER DEFINED EPA 625]	Dichlorobenzene (1,2-)
Certified	No	TX	WPP06.03220	NPW	Extract, GC/MS	[USER DEFINED EPA 625]	Dichlorobenzene (1,4-)
Certified	Yes	TX	WPP06.03230	NPW	Extract, GC/MS	[EPA 625]	Dichlorobenzidine (3,3'-)
Certified	Yes	TX	WPP06.03240	NPW	Extract, GC/MS	[EPA 625]	Diethyl phthalate
Certified	Yes	TX	WPP06.03250	NPW	Extract, GC/MS	[EPA 625]	Dimethyl phthalate
Certified	Yes	TX	WPP06.03260	NPW	Extract, GC/MS	[EPA 625]	Dinitrotoluene (2,4-)
Certified	Yes	TX	WPP06.03270	NPW	Extract, GC/MS	[EPA 625]	Dinitrotoluene (2,6-)
Certified	Yes	TX	WPP06.03280	NPW	Extract, GC/MS	[EPA 625]	Di-n-octyl phthalate
Certified	Yes	TX	WPP06.03290	NPW	Extract, GC/MS	[EPA 625]	Fluoranthene
Certified	Yes	TX	WPP06.03300	NPW	Extract, GC/MS	[EPA 625]	Fluorene
Certified	Yes	TX	WPP06.03310	NPW	Extract, GC/MS	[EPA 625]	Hexachlorobenzene
Certified	Yes	TX	WPP06.03320	NPW	Extract, GC/MS	[EPA 625]	Hexachlorobutadiene (1,3-)
Certified	Yes	TX	WPP06.03330	NPW	Extract, GC/MS	[EPA 625]	Hexachloroethane
Certified	Yes	TX	WPP06.03340	NPW	Extract, GC/MS	[EPA 625]	Indeno(1,2,3-cd)pyrene
Certified	Yes	TX	WPP06.03350	NPW	Extract, GC/MS	[EPA 625]	Isophorone
Certified	Yes	TX	WPP06.03360	NPW	Extract, GC/MS	[EPA 625]	Naphthalene
Certified	Yes	NJ	WPP06.03366	NPW	Extract, GC/MS	[EPA 625]	Chloroaniline (4-)
Certified	Yes	TX	WPP06.03370	NPW	Extract, GC/MS	[EPA 625]	Nitrobenzene
Certified	Yes	TX	WPP06.03380	NPW	Extract, GC/MS	[EPA 625]	N-Nitroso-di-n-propylamine
Certified	Yes	TX	WPP06.03390	NPW	Extract, GC/MS	[EPA 625]	Phenanthrene
Certified	Yes	TX	WPP06.03400	NPW	Extract, GC/MS	[EPA 625]	Pyrene
Certified	Yes	TX	WPP06.03402	NPW	Extract, GC/MS	[EPA 625]	Pentachlorobenzene
Certified	Yes	TX	WPP06.03405	NPW	Extract, GC/MS	[EPA 625]	Tetrachlorobenzene (1,2,4,5-)
Certified	Yes	TX	WPP06.03410	NPW	Extract, GC/MS	[EPA 625]	Trichlorobenzene (1,2,4-)
Certified	Yes	TX	WPP06.03420	NPW	Extract, GC/MS	[EPA 625]	Methyl phenol (4-chloro-3-)

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**

Effective as of 07/01/2009 until 06/30/2010



**Laboratory Name: XENCO LABORATORIES Laboratory Number: TX007 Activity ID: NLC090001**  
4143 GREENBRIAR DR  
STAFFORD, TX 77477

**Category: WPP06 – Organic Parameters, Chromatography/MS**

Status	Eligible to Report		Code	Matrix	Technique Description	Approved Method	Parameter Description
	NJ Data	State					
Certified	Yes	TX	WPP06.03430	NPW	Extract, GC/MS	[EPA 625]	Chlorophenol (2-)
Certified	Yes	TX	WPP06.03440	NPW	Extract, GC/MS	[EPA 625]	Dichlorophenol (2,4-)
Certified	Yes	TX	WPP06.03450	NPW	Extract, GC/MS	[EPA 625]	Dimethylphenol (2,4-)
Certified	Yes	TX	WPP06.03460	NPW	Extract, GC/MS	[EPA 625]	Dinitrophenol (2,4-)
Certified	Yes	TX	WPP06.03470	NPW	Extract, GC/MS	[EPA 625]	Dinitrophenol (2-methyl-4,6-)
Certified	Yes	TX	WPP06.03480	NPW	Extract, GC/MS	[EPA 625]	Nitrophenol (2-)
Certified	Yes	TX	WPP06.03490	NPW	Extract, GC/MS	[EPA 625]	Nitrophenol (4-)
Certified	Yes	TX	WPP06.03500	NPW	Extract, GC/MS	[EPA 625]	Pentachlorophenol
Certified	Yes	TX	WPP06.03510	NPW	Extract, GC/MS	[EPA 625]	Phenol
Certified	Yes	TX	WPP06.03512	NPW	Extract, GC/MS	[EPA 625]	Tetrachlorophenol (2,3,4,6-)
Certified	Yes	TX	WPP06.03518	NPW	Extract, GC/MS	[EPA 625]	Trichlorophenol (2,4,5-)
Certified	Yes	TX	WPP06.03520	NPW	Extract, GC/MS	[EPA 625]	Trichlorophenol (2,4,6-)
Certified	Yes	TX	WPP06.03580	NPW	Extract, GC/MS	[EPA 625]	Benzidine
Applied	No	TX	WPP06.03605	NPW	Extract, GC/MS	[EPA 625]	Diphenylhydrazine (1,2-)
Certified	Yes	TX	WPP06.03660	NPW	Extract, GC/MS	[EPA 625]	Hexachlorocyclopentadiene
Certified	Yes	TX	WPP06.03675	NPW	Extract, GC/MS	[EPA 625]	N-Nitroso-di-n-butylamine
Certified	Yes	TX	WPP06.03677	NPW	Extract, GC/MS	[EPA 625]	N-Nitrosodiethylamine
Certified	Yes	TX	WPP06.03680	NPW	Extract, GC/MS	[EPA 625]	N-Nitrosodimethylamine
Certified	Yes	TX	WPP06.03690	NPW	Extract, GC/MS	[EPA 625]	N-Nitrosodiphenylamine
Certified	Yes	TX	WPP06.03720	NPW	Extract, GC/MS	[EPA 625]	Pyridine

**Category: SHW04 – Inorganic Parameters**

Status	Eligible to Report		Code	Matrix	Technique Description	Approved Method	Parameter Description
	NJ Data	State					
Certified	Yes	TX	SHW04.05500	NPW, SCM	ICP/MS	[SW-846 6020, Rev. 0, 9/94]	Aluminum
Certified	Yes	TX	SHW04.07000	NPW, SCM	ICP/MS	[SW-846 6020, Rev. 0, 9/94]	Antimony
Certified	Yes	TX	SHW04.09500	NPW, SCM	ICP/MS	[SW-846 6020, Rev. 0, 9/94]	Arsenic
Certified	Yes	TX	SHW04.12000	NPW, SCM	ICP/MS	[SW-846 6020, Rev. 0, 9/94]	Barium
Certified	Yes	TX	SHW04.14000	NPW, SCM	ICP/MS	[SW-846 6020, Rev. 0, 9/94]	Beryllium
Certified	Yes	TX	SHW04.15101	NPW, SCM	ICP/MS	[SW-846 6020]	Boron

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
Effective as of 07/01/2009 until 06/30/2010



Laboratory Name: XENCO LABORATORIES Laboratory Number: TX007 Activity ID: NLC090001  
4143 GREENBRIAR DR  
STAFFORD, TX 77477

Category: SHW04 – Inorganic Parameters

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	SHW04.16000	NPW, SCM	ICP/MS	[SW-846 6020, Rev. 0, 9/94]	Cadmium
Certified	Yes	TX	SHW04.17505	NPW, SCM	ICP/MS	[SW-846 6020, Rev. 0, 9/94]	Calcium
Certified	Yes	TX	SHW04.19000	NPW, SCM	ICP/MS	[SW-846 6020, Rev. 0, 9/94]	Chromium
Certified	Yes	TX	SHW04.23000	NPW, SCM	ICP/MS	[SW-846 6020, Rev. 0, 9/94]	Cobalt
Certified	Yes	TX	SHW04.25000	NPW, SCM	ICP/MS	[SW-846 6020, Rev. 0, 9/94]	Copper
Certified	Yes	TX	SHW04.26005	NPW, SCM	ICP/MS	[SW-846 6020, Rev. 0, 9/94]	Iron
Certified	Yes	TX	SHW04.28000	NPW, SCM	ICP/MS	[SW-846 6020, Rev. 0, 9/94]	Lead
Certified	Yes	TX	SHW04.30505	NPW, SCM	ICP/MS	[SW-846 6020, Rev. 0, 9/94]	Magnesium
Certified	Yes	TX	SHW04.31600	NPW, SCM	ICP/MS	[SW-846 6020, Rev. 0, 9/94]	Manganese
Certified	Yes	TX	SHW04.34010	NPW, SCM	Isotope Dilution MS (IDMS)	[SW-846 6800, Rev. 0, 1/98]	Molybdenum
Certified	Yes	TX	SHW04.36000	NPW, SCM	ICP/MS	[SW-846 6020, Rev. 0, 9/94]	Nickel
Certified	Yes	TX	SHW04.38505	NPW, SCM	ICP/MS	[SW-846 6020, Rev. 0, 9/94]	Potassium
Certified	Yes	TX	SHW04.40600	NPW, SCM	ICP/MS	[SW-846 6020, Rev. 0, 9/94]	Selenium
Certified	Yes	TX	SHW04.41500	NPW, SCM	ICP/MS	[SW-846 6020, Rev. 0, 9/94]	Silver
Certified	Yes	TX	SHW04.43005	NPW, SCM	ICP/MS	[SW-846 6020]	Sodium
Certified	Yes	TX	SHW04.44001	NPW, SCM	ICP/MS	[SW-846 6020]	Strontium
Dropped	No	TX	SHW04.44500	NPW, SCM	AA	[SW-846 7780, Rev. 0, 7/92]	Strontium
Certified	Yes	TX	SHW04.45500	NPW, SCM	ICP/MS	[SW-846 6020]	Thallium
Certified	Yes	TX	SHW04.47105	NPW, SCM	ICP/MS	[SW-846 6020]	Tin
Certified	Yes	TX	SHW04.47150	NPW, SCM	ICP/MS	[SW-846 6020]	Titanium
Certified	Yes	TX	SHW04.47505	NPW, SCM	ICP/MS	[SW-846 6020, Rev. 0, 9/94]	Vanadium
Certified	Yes	TX	SHW04.49500	NPW, SCM	ICP/MS	[SW-846 6020, Rev. 0, 9/94]	Zinc

Category: SHW06 – Organic Parameters, Chromatography

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	SHW06.04010	NPW, SCM	GC P&T, FID	[SW-846 8015B]	Gasoline range organic
Certified	Yes	TX	SHW06.04500	NPW, SCM	Extraction, GC, FID	[SW-846 8015B]	Diesel range organic
Certified	Yes	NJ	SHW06.04520	NPW, SCM	Extraction, GC, FID	[OTHER NJ-OQA-QAM-025, Rev. 7]	Petroleum Organics
Certified	Yes	TX	SHW06.05080	NPW, SCM	GC, Direct Injection or P & T, PID-HECD	[SW-846 8021B]	Xylene (o-)

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

**New Jersey Department of Environmental Protection**  
**National Environmental Laboratory Accreditation Program**  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
 Effective as of 07/01/2009 until 06/30/2010



**Laboratory Name: XENCO LABORATORIES Laboratory Number: TX007 Activity ID: NLC090001**  
**4143 GREENBRIAR DR**  
**STAFFORD, TX 77477**

**Category: SHW06 -- Organic Parameters, Chromatography**

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	SHW06.05090	NPW, SCM	GC, Direct Injection or P & T, PID-HECD	[SW-846 8021B]	Xylene (m-)
Certified	Yes	TX	SHW06.05100	NPW, SCM	GC, Direct Injection or P & T, PID-HECD	[SW-846 8021B]	Xylene (p-)
Certified	Yes	TX	SHW06.05360	NPW, SCM	GC, Direct Injection or P & T, PID-HECD	[SW-846 8021B]	Methyl tert-butyl ether
Certified	Yes	TX	SHW06.12010	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Aldrin
Certified	Yes	TX	SHW06.12020	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Alpha BHC
Certified	Yes	TX	SHW06.12030	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Beta BHC
Certified	Yes	TX	SHW06.12040	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Delta BHC
Certified	Yes	TX	SHW06.12050	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Lindane (gamma BHC)
Certified	Yes	TX	SHW06.12060	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Chlordane (technical)
Certified	Yes	TX	SHW06.12070	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A]	Chlordane (alpha)
Certified	Yes	TX	SHW06.12080	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A]	Chlordane (gamma)
Certified	Yes	TX	SHW06.12090	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	DDD (4,4'-)
Certified	Yes	TX	SHW06.12100	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	DDE (4,4'-)
Certified	Yes	TX	SHW06.12110	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	DDT (4,4'-)
Certified	Yes	TX	SHW06.12120	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Dieldrin
Certified	Yes	TX	SHW06.12130	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Endosulfan I
Certified	Yes	TX	SHW06.12140	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Endosulfan II
Certified	Yes	TX	SHW06.12150	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Endosulfan sulfate
Certified	Yes	TX	SHW06.12160	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Endrin
Certified	Yes	TX	SHW06.12170	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Endrin aldehyde
Certified	Yes	TX	SHW06.12180	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Endrin ketone
Certified	Yes	TX	SHW06.12190	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Heptachlor
Certified	Yes	TX	SHW06.12200	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Heptachlor epoxide
Certified	Yes	TX	SHW06.12201	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A]	Hexachlorobenzene
Certified	Yes	TX	SHW06.12202	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A]	Hexachlorocyclopentadiene
Certified	Yes	TX	SHW06.12210	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Methoxychlor
Certified	Yes	TX	SHW06.12220	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Toxaphene
Certified	Yes	TX	SHW06.13110	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8082, Rev. 0, 12/96]	PCB 1016
Certified	Yes	TX	SHW06.13120	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8082, Rev. 0, 12/96]	PCB 1221
Certified	Yes	TX	SHW06.13130	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8082, Rev. 0, 12/96]	PCB 1232
Certified	Yes	TX	SHW06.13140	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8082, Rev. 0, 12/96]	PCB 1242
Certified	Yes	TX	SHW06.13150	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8082, Rev. 0, 12/96]	PCB 1248

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
Effective as of 07/01/2009 until 06/30/2010



Laboratory Name: XENCO LABORATORIES Laboratory Number: TX007 Activity ID: NLC090001  
4143 GREENBRIAR DR  
STAFFORD, TX 77477

Category: SHW06 -- Organic Parameters, Chromatography

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	SHW06.13160	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8082, Rev. 0, 12/96]	PCB 1254
Certified	Yes	TX	SHW06.13170	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8082, Rev. 0, 12/96]	PCB 1260
Certified	Yes	TX	SHW06.23010	NPW, SCM	GC, Extraction, ECD, Capillary	[SW-846 8151A, Rev. 1, 9/96]	Dalapon
Certified	Yes	TX	SHW06.23020	NPW, SCM	GC, Extraction, ECD, Capillary	[SW-846 8151A, Rev. 1, 9/96]	Dicamba
Certified	Yes	TX	SHW06.23030	NPW, SCM	GC, Extraction, ECD, Capillary	[SW-846 8151A]	Dinoseb
Certified	Yes	TX	SHW06.23040	NPW, SCM	GC, Extraction, ECD, Capillary	[SW-846 8151A, Rev. 1, 9/96]	D (2,4-)
Certified	Yes	TX	SHW06.23041	NPW, SCM	GC, Extraction, ECD, Capillary	[SW-846 8151A, Rev. 1, 9/96]	DB (2,4-)
Certified	Yes	TX	SHW06.23050	NPW, SCM	GC, Extraction, ECD, Capillary	[SW-846 8151A, Rev. 1, 9/96]	T (2,4,5-)
Certified	Yes	TX	SHW06.23060	NPW, SCM	GC, Extraction, ECD, Capillary	[SW-846 8151A]	TP (2,4,5-) (Silvex)
Certified	Yes	TX	SHW06.23066	NPW, SCM	GC, Extraction, ECD, Capillary	[SW-846 8151A]	Pentachlorophenol
Certified	Yes	TX	SHW06.23070	NPW, SCM	GC, Extraction, ECD, Capillary	[SW-846 8151A]	Picloram
Certified	Yes	TX	SHW06.24110	NPW, SCM	Extraction, HPLC	[SW-846 8310, Rev. 0, 9/86]	Acenaphthene
Certified	Yes	TX	SHW06.24120	NPW, SCM	Extraction, HPLC	[SW-846 8310, Rev. 0, 9/86]	Acenaphthylene
Certified	Yes	TX	SHW06.24130	NPW, SCM	Extraction, HPLC	[SW-846 8310, Rev. 0, 9/86]	Anthracene
Certified	Yes	TX	SHW06.24140	NPW, SCM	Extraction, HPLC	[SW-846 8310, Rev. 0, 9/86]	Benzo(a)anthracene
Certified	Yes	TX	SHW06.24150	NPW, SCM	Extraction, HPLC	[SW-846 8310, Rev. 0, 9/86]	Benzo(a)pyrene
Certified	Yes	TX	SHW06.24160	NPW, SCM	Extraction, HPLC	[SW-846 8310, Rev. 0, 9/86]	Benzo(b)fluoranthene
Certified	Yes	TX	SHW06.24170	NPW, SCM	Extraction, HPLC	[SW-846 8310, Rev. 0, 9/86]	Benzo(ghi)perylene
Certified	Yes	TX	SHW06.24180	NPW, SCM	Extraction, HPLC	[SW-846 8310, Rev. 0, 9/86]	Benzo(k)fluoranthene
Certified	Yes	TX	SHW06.24190	NPW, SCM	Extraction, HPLC	[SW-846 8310, Rev. 0, 9/86]	Chrysene
Certified	Yes	TX	SHW06.24200	NPW, SCM	Extraction, HPLC	[SW-846 8310]	Dibenzo(a,h)anthracene
Certified	Yes	TX	SHW06.24210	NPW, SCM	Extraction, HPLC	[SW-846 8310, Rev. 0, 9/86]	Fluoranthene
Certified	Yes	TX	SHW06.24220	NPW, SCM	Extraction, HPLC	[SW-846 8310, Rev. 0, 9/86]	Fluorene
Certified	Yes	TX	SHW06.24230	NPW, SCM	Extraction, HPLC	[SW-846 8310, Rev. 0, 9/86]	Indeno(1,2,3-cd)pyrene
Certified	Yes	TX	SHW06.24240	NPW, SCM	Extraction, HPLC	[SW-846 8310, Rev. 0, 9/86]	Naphthalene
Certified	Yes	TX	SHW06.24250	NPW, SCM	Extraction, HPLC	[SW-846 8310, Rev. 0, 9/86]	Phenanthrene
Certified	Yes	TX	SHW06.24260	NPW, SCM	Extraction, HPLC	[SW-846 8310]	Pyrene

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**

Effective as of 07/01/2009 until 06/30/2010



Laboratory Name: XENCO LABORATORIES Laboratory Number: TX007 Activity ID: NLC090001  
4143 GREENBRIAR DR  
STAFFORD, TX 77477

Category: SHW07 – Organic Parameters, Chromatography/MS

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	SHW07.04010	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Benzene
Certified	Yes	TX	SHW07.04011	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Bromobenzene
Certified	Yes	TX	SHW07.04012	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Butyl benzene (n-)
Certified	Yes	TX	SHW07.04013	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Sec-butylbenzene
Certified	Yes	TX	SHW07.04014	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Tert-butylbenzene
Certified	Yes	TX	SHW07.04020	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Chlorobenzene
Certified	Yes	TX	SHW07.04022	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Chlorotoluene (2-)
Certified	Yes	TX	SHW07.04023	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Chlorotoluene (4-)
Certified	Yes	TX	SHW07.04030	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichlorobenzene (1,2-)
Certified	Yes	TX	SHW07.04040	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichlorobenzene (1,3-)
Certified	Yes	TX	SHW07.04050	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichlorobenzene (1,4-)
Certified	Yes	TX	SHW07.04060	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Ethylbenzene
Certified	Yes	TX	SHW07.04065	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Isopropylbenzene
Certified	Yes	TX	SHW07.04067	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Propylbenzene (n-)
Certified	Yes	TX	SHW07.04070	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Toluene
Certified	Yes	TX	SHW07.04071	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Isopropyltoluene (4-)
Certified	Yes	TX	SHW07.04072	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Trichlorobenzene (1,2,3-)
Certified	Yes	TX	SHW07.04073	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Trimethylbenzene (1,2,4-)
Certified	Yes	TX	SHW07.04074	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Trimethylbenzene (1,3,5-)
Certified	Yes	TX	SHW07.04080	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Xylenes (total)
Certified	Yes	TX	SHW07.04089	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Bromochloromethane
Certified	Yes	TX	SHW07.04090	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Bromodichloromethane
Certified	Yes	TX	SHW07.04100	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Bromoform
Certified	Yes	TX	SHW07.04110	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Bromomethane
Certified	Yes	TX	SHW07.04117	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Dichloro-2-butene (cis-1,4-)
Certified	Yes	TX	SHW07.04120	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Carbon tetrachloride
Certified	Yes	TX	SHW07.04130	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Chloroethane
Certified	Yes	TX	SHW07.04140	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Chloroethyl vinyl ether (2-)
Certified	Yes	TX	SHW07.04150	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Chloroform
Certified	Yes	TX	SHW07.04160	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Chloromethane
Certified	Yes	TX	SHW07.04170	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichloropropene (trans-1,3-)
Certified	Yes	TX	SHW07.04180	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dibromochloromethane

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
Effective as of 07/01/2009 until 06/30/2010



Laboratory Name: XENCO LABORATORIES Laboratory Number: TX007 Activity ID: NLC090001  
4143 GREENBRIAR DR  
STAFFORD, TX 77477

Category: SHW07 -- Organic Parameters, Chromatography/MS

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	SHW07.04185	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dibromoethane (1,2-) (EDB)
Certified	Yes	TX	SHW07.04186	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dibromomethane
Certified	Yes	TX	SHW07.04190	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichlorodifluoromethane
Certified	Yes	TX	SHW07.04200	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichloroethane (1,1-)
Certified	Yes	TX	SHW07.04210	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichloroethane (1,2-)
Certified	Yes	TX	SHW07.04220	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichloroethene (1,1-)
Certified	Yes	TX	SHW07.04230	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichloroethene (trans-1,2-)
Certified	Yes	TX	SHW07.04235	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichloroethene (cis-1,2-)
Certified	Yes	TX	SHW07.04240	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Dichloropropane (1,2-)
Certified	Yes	TX	SHW07.04241	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichloropropane (1,3-)
Certified	Yes	TX	SHW07.04242	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichloropropane (2,2-)
Certified	Yes	TX	SHW07.04249	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichloropropene (1,1-)
Certified	Yes	TX	SHW07.04250	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichloropropene (cis-1,3-)
Certified	Yes	TX	SHW07.04255	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichloro-2-butene (trans-1,4-)
Certified	Yes	TX	SHW07.04257	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Diisopropyl Ether [DIPE]
Certified	Yes	TX	SHW07.04259	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Ethanol
Certified	Yes	TX	SHW07.04260	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Methylene chloride (Dichloromethane)
Certified	Yes	TX	SHW07.04270	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Tetrachloroethane (1,1,2,2-)
Certified	Yes	TX	SHW07.04280	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Tetrachloroethene
Certified	Yes	TX	SHW07.04290	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Trichloroethane (1,1,1-)
Certified	Yes	TX	SHW07.04300	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Trichloroethane (1,1,2-)
Certified	Yes	TX	SHW07.04310	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Trichloroethene
Certified	Yes	TX	SHW07.04320	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Trichlorofluoromethane
Certified	Yes	TX	SHW07.04325	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Trichloropropane (1,2,3-)
Certified	Yes	TX	SHW07.04327	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Vinyl acetate
Certified	Yes	TX	SHW07.04330	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Vinyl chloride
Certified	Yes	TX	SHW07.04340	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Acetone
Certified	Yes	TX	SHW07.04350	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Carbon disulfide
Certified	Yes	TX	SHW07.04360	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Butanone (2-)
Certified	Yes	TX	SHW07.04367	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Ethyl methacrylate
Certified	Yes	TX	SHW07.04370	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Hexanone (2-)
Certified	Yes	TX	SHW07.04380	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Pentanone (4-methyl-2-)

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
Effective as of 07/01/2009 until 06/30/2010



Laboratory Name: XENCO LABORATORIES Laboratory Number: TX007 Activity ID: NLC090001  
4143 GREENBRIAR DR  
STAFFORD, TX 77477

Category: SHW07 -- Organic Parameters, Chromatography/MS

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	SHW07.04390	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Methyl tert-butyl ether
Certified	Yes	TX	SHW07.04395	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Tert-butyl alcohol
Certified	Yes	TX	SHW07.04400	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Acrolein
Certified	Yes	TX	SHW07.04410	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Acrylonitrile
Certified	Yes	TX	SHW07.04540	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Naphthalene
Certified	Yes	TX	SHW07.04550	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Styrene
Certified	Yes	TX	SHW07.04560	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Tetrachloroethane (1,1,1,2-)
Certified	Yes	TX	SHW07.04570	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Trichlorobenzene (1,2,4-)
Certified	Yes	TX	SHW07.04580	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Nitrobenzene
Certified	Yes	TX	SHW07.04665	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Acetophenone
Certified	Yes	TX	SHW07.04710	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Chloronaphthalene (1-)
Certified	Yes	TX	SHW07.04755	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Dichlorophenol (2,6-)
Certified	Yes	TX	SHW07.04780	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Dinitrobenzene (1,3-)
Certified	Yes	TX	SHW07.04830	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Methanesulfonate (Ethyl-)
Certified	Yes	TX	SHW07.04835	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Methanesulfonate (Methyl-)
Certified	Yes	TX	SHW07.04870	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	N-Nitroso-di-n-butylamine
Certified	Yes	TX	SHW07.04875	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	N-Nitrosomorpholine
Certified	Yes	TX	SHW07.04880	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	N-Nitrosopiperidine
Certified	Yes	TX	SHW07.04895	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Pentachlorobenzene
Certified	Yes	TX	SHW07.04905	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Pentachloronitrobenzene
Certified	Yes	TX	SHW07.04940	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Picoline (2-)
Certified	Yes	TX	SHW07.04980	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Tetrachlorophenol (2,3,4,6-)
Certified	Yes	TX	SHW07.05004	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	N-Nitrosodiethylamine
Certified	Yes	TX	SHW07.05005	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	N-Nitrosodimethylamine
Certified	Yes	TX	SHW07.05006	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	N-Nitroso-di-n-propylamine
Certified	Yes	TX	SHW07.05010	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	N-Nitrosodiphenylamine
Certified	Yes	TX	SHW07.05011	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	N-Nitrosomethylethylamine
Certified	Yes	TX	SHW07.05012	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	N-Nitrosopyrrolidine
Certified	Yes	TX	SHW07.05020	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Diphenylamine
Certified	Yes	TX	SHW07.05030	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Carbazole
Certified	Yes	TX	SHW07.05038	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Benzidine
Certified	Yes	TX	SHW07.05040	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Dichlorobenzidine (3,3'-)

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

**New Jersey Department of Environmental Protection**  
**National Environmental Laboratory Accreditation Program**  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
 Effective as of 07/01/2009 until 06/30/2010



**Laboratory Name: XENCO LABORATORIES Laboratory Number: TX007 Activity ID: NLC090001**  
**4143 GREENBRIAR DR**  
**STAFFORD, TX 77477**

**Category: SHW07 – Organic Parameters, Chromatography/MS**

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	SHW07.05045	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Diphenylhydrazine (1,2-)
Certified	Yes	TX	SHW07.05048	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Aniline
Certified	Yes	TX	SHW07.05050	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Chloraniline (4-)
Certified	Yes	TX	SHW07.05060	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Nitroaniline (2-)
Certified	Yes	TX	SHW07.05062	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Nitroaniline (3-)
Certified	Yes	TX	SHW07.05063	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Nitroaniline (4-)
Certified	Yes	TX	SHW07.05070	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Chloronaphthalene (2-)
Certified	Yes	TX	SHW07.05080	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Hexachlorobenzene
Certified	Yes	TX	SHW07.05090	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Hexachlorobutadiene (1,3-)
Certified	Yes	TX	SHW07.05100	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Hexachlorocyclopentadiene
Certified	Yes	TX	SHW07.05110	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Hexachloroethane
Certified	Yes	TX	SHW07.05115	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Hexachloropropene
Certified	Yes	TX	SHW07.05120	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Trichlorobenzene (1,2,4-)
Certified	Yes	TX	SHW07.05130	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Bis (2-chloroethoxy) methane
Certified	Yes	TX	SHW07.05132	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Bis (2-chloroethyl) ether
Certified	Yes	TX	SHW07.05140	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Bis (2-chloroisopropyl) ether
Certified	Yes	TX	SHW07.05150	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Chlorophenyl-phenyl ether (4-)
Certified	Yes	TX	SHW07.05160	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Bromophenyl-phenyl ether (4-)
Certified	Yes	TX	SHW07.05170	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Dinitrotoluene (2,4-)
Certified	Yes	TX	SHW07.05180	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Dinitrotoluene (2,6-)
Certified	Yes	TX	SHW07.05190	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Isophorone
Certified	Yes	TX	SHW07.05200	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Nitrobenzene
Certified	Yes	TX	SHW07.05210	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Butyl benzyl phthalate
Certified	Yes	TX	SHW07.05220	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Bis (2-ethylhexyl) phthalate
Certified	Yes	TX	SHW07.05230	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Diethyl phthalate
Certified	Yes	TX	SHW07.05240	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Dimethyl phthalate
Certified	Yes	TX	SHW07.05250	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Di-n-butyl phthalate
Certified	Yes	TX	SHW07.05260	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Di-n-octyl phthalate
Certified	Yes	TX	SHW07.05270	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Acenaphthene
Certified	Yes	TX	SHW07.05280	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Anthracene
Certified	Yes	TX	SHW07.05290	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Acenaphthylene
Certified	Yes	TX	SHW07.05300	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Benzo(a)anthracene

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
Effective as of 07/01/2009 until 06/30/2010



Laboratory Name: XENCO LABORATORIES Laboratory Number: TX007 Activity ID: NLC090001  
4143 GREENBRIAR DR  
STAFFORD, TX 77477

Category: SHW07 -- Organic Parameters, Chromatography/MS

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	SHW07.05310	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Benzo(a)pyrene
Certified	Yes	TX	SHW07.05320	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Benzo(b)fluoranthene
Certified	Yes	TX	SHW07.05330	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Benzo(ghi)perylene
Certified	Yes	TX	SHW07.05340	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Benzo(k)fluoranthene
Certified	Yes	TX	SHW07.05350	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Chrysene
Certified	Yes	TX	SHW07.05360	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Dibenzo(a,h)anthracene
Certified	Yes	TX	SHW07.05370	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Fluoranthene
Certified	Yes	TX	SHW07.05380	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Fluorene
Certified	Yes	TX	SHW07.05390	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Indeno(1,2,3-cd)pyrene
Certified	Yes	TX	SHW07.05400	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Methylnaphthalene (2-)
Certified	Yes	TX	SHW07.05410	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Naphthalene
Certified	Yes	TX	SHW07.05420	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Phenanthrene
Certified	Yes	TX	SHW07.05430	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Pyrene
Certified	Yes	TX	SHW07.05440	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Methyl phenol (4-chloro-3-)
Certified	Yes	TX	SHW07.05450	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Chlorophenol (2-)
Certified	Yes	TX	SHW07.05460	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Dichlorophenol (2,4-)
Certified	Yes	TX	SHW07.05470	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Dimethylphenol (2,4-)
Certified	Yes	TX	SHW07.05480	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Dinitrophenol (2,4-)
Certified	Yes	TX	SHW07.05490	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Dinitrophenol (2-methyl-4,6-)
Certified	Yes	TX	SHW07.05500	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Methylphenol (2-)
Certified	Yes	TX	SHW07.05510	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Methylphenol (4-)
Certified	Yes	TX	SHW07.05520	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Nitrophenol (2-)
Certified	Yes	TX	SHW07.05530	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Nitrophenol (4-)
Certified	Yes	TX	SHW07.05540	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Pentachlorophenol
Certified	Yes	TX	SHW07.05550	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Phenol
Certified	Yes	TX	SHW07.05560	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Trichlorophenol (2,4,5-)
Certified	Yes	TX	SHW07.05570	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Trichlorophenol (2,4,6-)
Certified	Yes	TX	SHW07.05590	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Methylphenol (3-)
Certified	Yes	TX	SHW07.05600	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Dibenzofuran
Certified	Yes	TX	SHW07.05691	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Dichlorobenzene (1,2-)
Certified	Yes	TX	SHW07.05692	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Dichlorobenzene (1,3-)
Certified	Yes	TX	SHW07.05700	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Dichlorobenzene (1,4-)

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
Effective as of 07/01/2009 until 06/30/2010



Laboratory Name: XENCO LABORATORIES Laboratory Number: TX007 Activity ID: NLC090001  
4143 GREENBRIAR DR  
STAFFORD, TX 77477

**Category: SHW07 -- Organic Parameters, Chromatography/MS**

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	SHW07.05710	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Benzoic acid
Certified	Yes	TX	SHW07.05720	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Benzyl alcohol
Certified	Yes	TX	SHW07.05750	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Pyridine

**Category: SHW02 -- Characteristics of Hazardous Waste**

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	SHW02.01000	SCM	Pensky Martens	[SW-846 1010A]	Ignitability
Certified	Yes	TX	SHW02.03000	SCM	Aqueous Waste, Potentiometric	[SW-846 9040C]	Corrosivity - pH waste, >20% water
Certified	Yes	TX	SHW02.06900	SCM	TCLP, Toxicity Procedure, ZHE	[SW-846 1311, Rev. 0, 7/92]	Volatile organics
Certified	Yes	TX	SHW02.07000	SCM	TCLP, Toxicity Procedure, Shaker	[SW-846 1311, Rev. 0, 7/92]	Metals
Certified	Yes	TX	SHW02.08000	SCM	Synthetic PPT Leachate Procedure	[SW-846 1312, Rev. 0, 9/94]	Metals - organics

**Category: SHW03 -- Analyze-Immediately Parameters**

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	SHW03.01000	SCM	Aqueous, Electrometric	[SW-846 9040C]	pH

**Category: SHW04 -- Inorganic Parameters**

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	SHW04.21000	SCM	Colorimetric	[SW-846 7196A, Rev. 1, 7/92]	Chromium (VI)
Certified	Yes	TX	SHW04.33000	SCM	AA, Manual Cold Vapor	[SW-846 7470A]	Mercury - liquid waste
Certified	Yes	TX	SHW04.33500	SCM	AA, Manual Cold Vapor	[SW-846 7471A]	Mercury - solid waste

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**

Effective as of 07/01/2009 until 06/30/2010



Laboratory Name: XENCO LABORATORIES Laboratory Number: TX007 Activity ID: NLC090001  
4143 GREENBRIAR DR  
STAFFORD, TX 77477

**Category: SHW06 – Organic Parameters, Chromatography**

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	SHW06.05010	SCM	GC, Direct Injection or P & T, PID-HECD	[SW-846 8021B]	Benzene
Certified	Yes	TX	SHW06.05060	SCM	GC, Direct Injection or P & T, PID-HECD	[SW-846 8021B]	Ethylbenzene
Certified	Yes	TX	SHW06.05070	SCM	GC, Direct Injection or P & T, PID-HECD	[SW-846 8021B]	Toluene

**Category: SHW07 – Organic Parameters, Chromatography/MS**

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	SHW07.04077	SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Toluidine (2-) (2-Methylaniline)
Certified	Yes	TX	SHW07.04187	SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dibromo-3-chloropropane (1,2-)
Certified	Yes	TX	SHW07.04500	SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Hexachlorobutadiene (1,3-)
Certified	Yes	TX	SHW07.04840	SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Methapyrilene

**Category: SHW09 – Miscellaneous Parameters**

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	SHW09.04100	SCM	Titrimetric/Manual Spectrophotometric	[SW-846 9014]	Cyanide
Certified	Yes	TX	SHW09.13050	SCM	Ion Chromatography	[SW-846 9056, Rev. 0, 9/94]	Sulfate
Certified	Yes	TX	SHW09.16000	SCM	Mix with Water or Calcium Chloride	[SW-846 9045C, Rev. 3, 1/95]	pH - soil and waste
Certified	Yes	TX	SHW09.21000	SCM	Colorimetric, Man, 4AAP Distillation	[SW-846 9065]	Phenols
Certified	Yes	TX	SHW09.29000	SCM	Flow-Through Paint Filter, Observation	[SW-846 9095]	Free liquid
Certified	Yes	TX	SHW09.29150	SCM	Ion Chromatography	[SW-846 9056, Rev. 0, 12/94]	Nitrite
Applied	No	TX	SHW09.30100	SCM	Ion Selective Electrode	[SW-846 9210, Rev. 0, 12/96]	Nitrate
Certified	Yes	TX	SHW09.30250	SCM	Ion Chromatography	[SW-846 9056, Rev. 0, 12/96]	Bromide
Certified	Yes	TX	SHW09.33100	SCM	Ion Chromatography	[SW-846 9056, Rev. 0, 12/96]	Chloride
Certified	Yes	TX	SHW09.34150	SCM	Ion Chromatography	[SW-846 9056, Rev. 0, 12/96]	Fluoride

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
Effective as of 07/01/2009 until 06/30/2010



Laboratory Name: XENCO LABORATORIES Laboratory Number: TX007 Activity ID: NLC090001  
4143 GREENBRIAR DR  
STAFFORD, TX 77477

Category: SHW09 – Miscellaneous Parameters

Status	Eligible to Report NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	TX	SHW09.54150	SCM	Ion Chromatography	[SW-846 9056, Rev. 0, 12/94]	Orthophosphate

*Joseph F. Aiello*  
\_\_\_\_\_  
Joseph F. Aiello, Chief

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

**New Jersey Department of Environmental Protection  
Environmental Laboratory Certification Program**

**LABORATORY PERSONNEL LIST**

Effective as of: 07/01/2009

**Laboratory Name: XENCO LABORATORIES Laboratory Number: TX007 Activity ID: NLC090001  
4143 GREENBRIAR DR  
STAFFORD, TX 77477**

**Position: Lead Tech. Director**

Employee	Category/Instrument	Start Date	End Date	Documentation Status	Complete Date	Comments
BRENT BARRON		12/2/2005		Complete/Qualified		

**Position: Manager**

Employee	Category/Instrument	Start Date	End Date	Documentation Status	Complete Date	Comments
CARLOS CASTRO Ph.D		12/2/2005		Complete/Qualified		

**Position: Operator**

Employee	Category/Instrument	Start Date	End Date	Documentation Status	Complete Date	Comments
KEITH ANDING	GC/MS	7/1/2009		Complete/Qualified		
CYNTHIA ELMORE	GC/MS	12/2/2005		Complete/Qualified		
CLAUDIA RAMOS	GC/MS	7/1/2009		Complete/Qualified		
HASSAN TAHNMI	ICP/MS	12/2/2005		Complete/Qualified		

**Position: QA Officer**

Employee	Category/Instrument	Start Date	End Date	Documentation Status	Complete Date	Comments
ASTER TEKLE		9/1/2006		Complete/Qualified		

**Position: Supervisor/Tech Dir**

Employee	Category/Instrument	Start Date	End Date	Documentation Status	Complete Date	Comments
CARLOS CASTRO Ph.D	SDW02, WPP02, CAP01 or CAP04	12/2/2005		Complete/Qualified		
CARLOS CASTRO Ph.D	SDW03, WPP03 or SHW03	12/2/2005		Complete/Qualified		
CARLOS CASTRO Ph.D	SDW04, WPP04, SHW04, 09, 10 or CAP02	12/2/2005		Complete/Qualified		
CARLOS CASTRO Ph.D	SDW05, 06, WPP05-07, SHW05-12 or CAP03	12/2/2005		Complete/Qualified		